Laboratory Apparatus		
S.No.	Code No.	Description
1	A701	Beaker glass with spour tall from 100ml
2	A712	clip springs
3	A716	funnules Pear shaped 50ml
4	A717	flasks glass 250ml
5	A719	Burette Soda Glass
6	A720	Galvano meter 35-0-35
7	A721	Molecular Models Sets set of 120 balls
8	A722	Molecular Models Sets set of 60 balls
9	A725	clamps ring closed
10	A728	Tubing conectors 'T' Shape Glass
11	A735	KINETIC THEORY MODEL
12	A736	THERMO STAT bimetalic
13	A740	carbon paper discs pk of 100
14	A741	Immersion heater
15	A743	RESONANCE Box wooden 7.5x10
16	A744	Newton meters (dynamometers) 0.1NX 0.001NX1N
17	A745	Metal rivetes for specific heats of copper
18	A746	Metal rivetes for specific heats of Brass
19	A747	Pump for 79 operating on 12 vac
20	A749	Analog Multi meter
21	A750	FractionalL HP meter
22	A751	Magenetic needles
23	A752	Stand for magnetic needle
24	A753	perspex prism equilateral sides sides of 76 mm
25	A754	perspex prism 90x45 degrees of 76x76 mm
26	A756	Electric fields apparatus
27	A757	Battery Lead 12 v
28	A760	Van De Graaff generator
29	A762	Digital caliper
30	A763	Magenetic sylenderical 50ml
31	A765	Masses 100gx10
32	A768	lamps 6v5w
33	A769	lamps 12v5w
34	A770	lamps 12v6w festoon
35	A771	lamps 6v3w festoon
36	A772	lamps for dry cell battery
37	A773	Test Tubes with rims 70ml
38	A779	Pipette Bulb 25mm
39	A785	Microscope accessoriess 5x Objective
40	A787	Microscope accessoriess 45x Objective
41	A792	PIN epolomological

42	A793	Scalp handle
43	A794	Scalp handle
44	A797	Forceps Blunt end
45	A848	SINGLE PAN, Triple beam 3-beams grauatedtotal weighing capacityof610g beams0 to500gx100g 0to100gx10gand0to10g0.1gpan stainless steel, 150mm diameter
46	A850	Evaporation Dish with spout glass fhat bottom capacity 35mi pack 50each
47	A851	Evaporation Dish with spout
48	A852	petri dish resistance glass dimension (diaxh) 100x15mm pack of 18
49	A853	3.1 pyrex glass, with spout tall from graduation made of borosilicate glass - 1000
50	A854	3.1 beakers tall form with spout borosilicate glass- 50
51	A855	3.1 beakers tall form with spout borosilicate glass- 100
52	A856	Breaker brush white brush with head 65x45 mm secular at the widest part 150 mm long over all length 400 mm
53	A857	Burettle BRUSH WHITE Brush on galvanized wire handle diam of head mmfor over all lengthpack-13510
54	A858	Burettle BRUSH WHITE Brush on galvanized wire handle diam of head mmfor over all lengthpack-16610
55	A859	Burettle BRUSH WHITE Brush on galvanized wire handle diam of head mm for over all length pack-19 760
56	A860	Burettle BRUSH WHITE Brush on galvanized wire handle diam of head mm for over all length pack- 25 915
57	A861	dusting brushes hair m metal mount wood handle
58	A862	5.1 LIGHT WEIGHT POLY ETHYLENE with close fiting lids and metal loop hands capacity 51, pack of 5 local
59	A863	staphless steel with easy pour nm and handle capacity 8 littres
60	A864	burettes ,glass ,single bore,PTEF stop cock attached capacity mm graduation mm10 .10
61	A865	burettes ,glass ,single bore,PTEF stop cock attached capacity mm graduation mm25 . 10
62	A866	burettes ,glass ,single bore,PTEF stop cock attached capacity mm graduation mm50 . 10
63	A867	TUBING CONECTORS 9.2 POLY PROPYLNE T shape o.d,mm 4.76 pack of 12
64	A868	condnsers 10.1 lie big boro silicate, glass with narrow fused on jacket for effective cooling over all length 500 mm
65	A869	fructionating columns r0d and disk type , borosilicate glass removable center ,rod with 20 disks in smooth bore tube with side each
66	A870	12.2 glass -pyrex x with reinforced nm at top30 60
67	A871	12.2 glass -pyrex x with reinforced nm at top6065.70mm

68	A872	cylinders plastic base madeof borosilicate glass Measuring Graduatted, glass, with spout capacity mm Graduated mm 10 0.2
69	A873	cylinders plastic base madeof borosilicate glass Measuring Graduatted, glass, with spout capacity mm Graduated mm 25 0.5
70	A874	cylinders plastic base madeof borosilicate glass Measuring Graduatted, glass, with spout capacity mm Graduated mm 50 0.0
71	A875	cylinders plastic base madeof borosilicate glass Measuring Graduatted, glass, with spout capacity mm Graduated mm 500 5.0
72	A876	Measuring Graduatted, clear polyprpyline capacity height mm10 0.2
73	A877	Measuring Graduatted, clear polyprpyline capacity height mm 25 0.5
74	A878	Measuring Graduatted, clear polyprpyline capacity height mm50 1.0
75	A879	Measuring Graduatted, clear polyprpyline capacity height mm250 2.0
76	A880	Measuring Graduatted, clear polyprpyline capacity height mm1000 10
77	A881	volt meter Glass unit ,graduated with instruction, base androde for use on 12vde
78	A882	set of mounts giving support to cross limp & vertical limb
79	A883	Gas cllsction apparatus pneumatic trought glass, circularfor collectionof gasover water (diaxh)mm300*125
80	A884	Gas cllsction apparatus wood spirits on pack of 1000
81	A885	Gas cllsction apparatus spoons Deflagration steel will aluminum flange pack 6
82	A886	Molecular models sets Molecular Models. Building sets (orbit) Basic structure sets , with 500 atom center for structural chmistry
83	A887	Molecular models sets Molecular Models. Building sets (orbit) Organic & inorganic set with instruction
84	A888	Mortar and pestle porecelian grinding surface un gazed with 50ml 180mm
85	A889	Mortar and pestle porecelian grinding surface un gazed with 200ml 110mm
86	A890	Graduated pipettes, pipettes, glass one mark/ bulb capacity ml1 5
87	A891	Graduated pipettes, pipettes, glass one mark/ bulb capacity ml5 5
88	A892	Graduated pipettes, pipettes, glass one mark/ bulb capacity ml 10 5

89	A893	Graduated pipettes, pipettes, glass one mark/ bulb capacity ml 25 5
90	A894	pipette bulbs pvc pear shape pack of 10 capacity 15ml
91	A894	pipette bulbs rubber tests mixed pack of 20
92	A895	Spatulas Nickel double, spoon one end 1=18mm, w=17mm
93	A895	Spatulas Stainless steel with scoop at one end and narrow bent blade at the other end 1=140mm,w=10mm pack of 10
94	A896	stopper Robber mixed solid pack of 67
95	A897	stopper Robber mixed one hole pack of 67
96	A898	stopper Robber mixed two hold pack of 48
97	A899	stopper Robber mixed cork assorted pack of 144 pcs
		cork borers plated brss cutting tubes mounted with safety under flange in
98	A900	shaped handle with rod for cleaning borers dam to 18mmset of 12
99	A901	Test tubes pyres dimension wal pack of(1x0.D) mm thickness mm72x12 1.0
100	A902	Test tubes pyres dimension wal pack of(1x0.D) mm thickness mm150x16 1.2
101	A903	Test tubes pyres dimension wal pack of(1x0.D) mm thickness mm 150x18 1.0
102	A904	Rimless 75x10 1.0
103	A905	Rimless 100x12 1.0
104	A906	Rimless 150x16 1.2
105	A907	Test tube Holder Plated spring steel accommodates tube up to 30mm dam
106	A908	timmer stop watch electronic count up 24 Hrs
107	A909	pyrex glass concial Erienmeyer narrow neck gratuated borosilicated glass capacity mml 1000
108	A910	distillation flask round bottom with side arm at angle of 75 to the Vertical axis 250 pack
109	A911	distillation flask round bottom with side arm at angle of 75 to the Vertical axis 500 pack
110	A912	poly propline flasks 25 pack of
111	A913	poly propline flasks 50 pack of
112	A914	poly propline flasks 125 pack of
113	A915	poly propline flasks 500 pack of
114	A916	volu metric, borosilicate glass, one mark, graduation capt, mt 5
115	A917	Delivery tubes glass Bent consisting of mixed pack on each delivery tubes at 90.50mm 150mm 16mm
116	A918	Delivery tubes glass Delivery tubes glass Bent, mixed pack, bent at 120 105 90 pack of 4
117	A919	u-tube glass 125x15 mm
118	A920	Atomic model set of 120 balls
119	A921	analytical Balance
120	A922	Eye Gogle protect chemical
120	A923	Dropping Bottle AMBER Glass

122	A924	a) glass tubing 7mm o.d, soda 130 glass 1.5
122	A925	b) Glass tubing , 5mm , o.d soda glass 1.5m
123	A926	c) Capacity, 6.5mm . O.d. Soda glass 1.5m
125	A927	Glass rod 6.7 mm o.d soda glass 1.5m
126	A928	Mortar and pestle, porcelian
120	A929	petri Dish es diameter 90mm, pack of 10
127	A930	single use of sringe, with out needle 10ml pack of 10
120	A931	single use Needle, sterile pack of 10
130	A932	plastic cover slips (22x22mm) box of 100
130	A933	Rubber Bands, Elastic ,assorted sizes (100100approximately)
		Laboratory spatula, (stainless steel) hard wood handle) width xdiam14mm
132	A934	x10mm
133	A935	Watch glass, 7.5cm dia.
134	A936	cork borer sizes 1up to 6 plated metal cutting tubes in set
135	A937	HUMAN EYE MODEL 3
		micro scope slide case wooden hinged lid, capacity100slides in two raws,
136	A938	dimension275*190*35mmlengthxwidthxdepth
137	A939	micro scope slides cavity size 76x26mm. 1.2mmthick,pack of 10
		Advanced stereo micro scope field of view 10 and 5 mm, inclined head,
138	A940	black, white or frosted glass stage covers 60mmpaired eye piece wide fieldx10
		working distance48mm
139	A941	tst tubes pyrex 9mi pack of 100 (15x125)
140	A942	tst tubes pyrex14ml pack of 100 (18x150)
141	A943	tst tubes pyrex. 20ml pack of100 (25x150)
142	A944	tst tubes pyrex 34ml pack of 100 (25x150)
143	A945	Water bath, aluminum, size 90x125mm, heightxdiameter
144	A946	Lboratory incubators (range 50c
145	A947	FOOD Calori meter
146	A948	Butterfly net 8 Die of the ring
147	A949	Chromatography paper in box of 100 sheets, size 250x255mm
148	A950	Triple beam balance single pan total weghing capacity of 610g
149	A951	Graduated cylinder, glass 250ml
150	A952	Graduated cylinder, plastic 250ml
151	A953	Graduated cylinder ,a) 2000ml(plastic)
152	A954	MICROSCOPE HIGH Quality
153	A955	Test tube rack, pvc coated to hold 20tubes pk of 5
154	A959	NEWTON METERS (DYNAMO METERERS IN METAL CASE ZERO
154		ADJUSTMENTNNHAND0.10x.1N
1.7.7	1000	NEWTON METERS (DYNAMO METERERS IN METAL CASE ZERO
155	A960	ADJUSTMENTNNHAND 0.20NX1N
156	A961	NEWTON METERS (DYNAMO METERERS IN METAL CASE ZERO
		ADJUSTMENTNNHAND 0.50NX1N
157	A962	Dynamic trolleys hand wood
158	A963	Trolly runway, 250x20x20m

159	A964	Ticker Yape 9.5mm adhesive backed in 300mm reels pack of 5
160	A965	Air Blower general purpose
161	A966	internal balance
162	A967	Variable internal bar
163	A968	Centri petal force apparutus
164	A969	Boyles low apparatuses
165	1050	Foot pump and adaptor for boiler low apparutus Electric mtor for kinetic
	A970	model
1.6.6	A971	Expansion apparutussimple verssion verssion to permit comparisson for
166		common metals
167	A972	charles low appartus
168	A973	a. Calori meters best quality metal copper 75x55mm diameter
169	A974	b. Aluminum 100x65mm diameter
170	A975	c Tin solded 100x90mm diameter
171	A976	steam generator
172	A977	Glass syringe Assembly for volume change
173	A978	a.energy converssion unit
174	A979	b. Male drivre AC
175	A980	Cylenderical conves mirrors stainless steel size 75x150mm Circular 96mm
176	A981	Cylenderical conves mirrors stainless steel size 75x150mm semi circular 96mm
177	A982	Cylenderical conves mirrors stainless steel size 75x150mm Biconcave
		140x178mm
178	A983	Cylenderical conves mirrors stainless steel size 75x150mm Biconvex 140x178mm
179	A984	Cylenderical conves mirrors stainless steel size 75x150mm Biconcave 140x98mm
		140x98mm
180	A985	Cylenderical conves mirrors stainless steel size 75x150mm Biconvex 140x98mm
181	A986	prism extra dense
181	A980 A987	rectangular transparent tank
182	A987 A988	color filters un mounted
183	A989	Steel rod magnetized 130x10mm
184	A989 A990	kinetic motion simulotor
185	A990 A991	a. Water circuit board
180	A991 A992	Magnetic parts kit
187	A992 A993	collis for Demountable transformer with 300 turnes
188	A994	collis for Demountable transformer with 600 turnes
189	A994 A995	collis for Demountable transformer with 600 turnes
190	A995 A996	Electric heill buzzer Resistance coils non inductively wound un known valves
191	A990 A997	Electric heill buzzer Medium (50ohm)
192 193	A997 A998	Electric heill buzzer high (500hm)
193 194	A998 A999	Hand stroboscope on stand & rotating
194 195	A999 A1000	Mass 1 kg with ring
193	A1000	IVIASS I NG WILLI HILG

196	A1001	single pully wooden one & plastic one (in set)
197	A1002	Double pully wooden one & plastic one (in set)
198	A1003	magnet horse shoe /pcs 50 mm long
199	A1004	Galvano meter 35-0-35 m moving count desk stand with looking terminal
200	A1005	Stop clock with start rest and 6 second total dial with 30 h spring in stove enameld case
201	A1006	compass plotting Aluminum body both side glass 20mm or one side glass20mm
202	A1007	Reostat 330 ohrit for main use
203	A1008	compass plottingAluminum body both sides glass 20mm or one side glass 12mm any one
204	A1009	crocodile clips
205	A1010	Tunning fork set eight
206	A1011	Copper wire plastic
207	A1012	glass prisms
208	A1013	Electric Bell